Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11	sub near2 block same link\$3 adj information\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:04
L3		sub adj block with link\$3 same (controller (control adj (circuit logic means))) same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:05
L4	2	sub adj block with link\$3 same control\$4 same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:05
.	11	sub adj block with (link\$3 relat\$3) same stor\$3 same control\$4 same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:10
L6		"6754751"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2006/10/27 17:11
L7	86	willke.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:12
L8	1	willke.in. and hub same controller same upstream	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/27 17:23

L9	111	sub adj block\$1 same (link\$3 relat\$3 pointer\$1) same address\$3 same control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:47
L10	22	9 and "711"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:24
L11	5	sub adj block\$1 same link\$3 same address\$3 same control\$4 and @ad<"20031126" and "711"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:02
L12	7	sub adj block\$1 same link\$3 same address\$3 and @ad<"20031126" and "711"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF -	2006/10/27 18:12
L13	4	sub near2 block\$1 same linking same address\$3 and @ad<"20031126" and "711"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/10/27 18:13
L14	11	sub near2 block\$1 same link\$3 same address\$3 and @ad<"20031126" and "711"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:19
L15	6	sub near2 block\$1 same link\$3 same (control\$4 manag\$5) and @ad<"20031126" and "711"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:23

			Ţ	r	1	
L16	2	"20040177216".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:23
L17	2	16 and sub near2 block\$1 with management same link\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:25
L18	1248	((sub near2 block\$1) bank\$1) same link\$3 same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:26
L19	55	((sub near2 block\$1) bank\$1) same link\$3 same address\$3 same control\$4 and @ad<"20031126" and "711"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:42
L20	1846	711/103.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:23
L21	1	20 and (bank\$1 (sub near2 block\$1)) same link\$3 same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/10/27 18:42
L22	19	20 and (bank\$1 (sub near2 block\$1)) same (relat\$3 link\$3) same address\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:43

			<u>-</u>			
L23	17	20 and (bank\$1 (sub near2 block\$1)) same (relat\$3 link\$3) same address\$3 and (non-volatile nonvolatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:55
L24	1	20 and (bank\$1 page\$1 (sub near2 block\$1)) same (relat\$3 link\$3) same management adj information same address\$3 and (non-volatile nonvolatile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 18:56
L25	28	20 and (bank\$1 page\$1 (sub near2 block\$1)) same management adj information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:05
L26	19	25 and @ad<"20031126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:01
L27	4	26 and link\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:03
L28	2	20 and (bank\$1 page\$1 (sub near2 block\$1)) same management adj information same link\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:05
L29	660	711/150.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:25

				T		<u> </u>
L30	935	711/206.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:25
L31	40	(20 29 30) and (bank\$1 page\$1 (sub near2 block\$1)) same management same link\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:26
L32	23	31 and @ad<"20031126"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:38
L33	2	"20040177216".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/27 19:55
L34	2	asari.in. and "sub memory block" .	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 19:56
L35	1	asari.in. and "sub memory block".clm.	US-PGPUB	OR	OFF	2006/10/27 19:56
L36	1	asari.in. and "memory block".clm.	US-PGPUB	OR	OFF	2006/10/27 19:56
S1	2	"6,898,662".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR _	OFF	2006/10/27 17:00
S2	6	sub near2 block same (contain\$3 stor\$3) near3 link\$3 adj information\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/27 17:00



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

BROWSE

SEARCH

IEEE XPLORE GUIDE

☐ Search Session History

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Search Query Display



Fri, 27 Oct 2006, 8:09:46 PM EST

Recent Search Queries

- #2 ((sub memory block<in>metadata) <and> (management<in>metadata))
- #3 ((bank<in>metadata) <and> (block<in>metadata))<and> (linking information<in>metadata)
- #4 ((sub block<in>metadata) <and>(linking<in>metadata))
 <and>(management<in>metadata)
- #5 ((sub block<in>metadata) <and> (management information<in>metadata))
- $\underline{\#6}$ ((sub memory block<in>metadata) <and> (management information<in>metadata))
- #7 ((block<in>metadata) <and> (management information<in>metadata))
- #8 ((block<in>metadata) <and> (bank<in>metadata))<and> (management information<in>metadata)
- #9 ((block<in>metadata) <and> (bank<in>metadata))<and> (linked<in>metadata)
- #10 ((blocks<in>metadata) <and> (banks<in>metadata))<and> (link<in>metadata)
- #11 ((sub block<in>metadata) <and> (translation table<in>metadata))<and> (link<in>metadata)
- #12 ((block<in>metadata) <and> (translation<in>metadata)) <and> (linking<in>metadata)



Help Contact Us Privacy &:

© Copyright 2006 IEEE ~